

Pre-Operative Instructions

- 1. Please call Baylor St. Luke's Hospital to pre-register. 832-355-0000 Option 4.
- 2. You may have nothing to eat or drink after midnight the day before your surgery except certain morning medications as instructed at pre-admission testing (with a small sip of water). Candy, mints, gum, and smoking/tobacco products are not permitted.
- 3. Expect a call from the pre-admission nurse. That person will screen you by phone to determine if you need to come in for pre-admission testing. Please ask the nurse on the phone or at pre-admission testing if any medications should be taken the morning of surgery. If you were instructed to take certain medications the morning of surgery, take them with a sip of water only. Medications for the following disorders are commonly included: high blood pressure, heart, asthma, seizure, and reflux/stomach. If you utilize inhalers to treat asthma, bring them with you on the day of surgery. Please bring a list of all medications you are currently taking, as well as medications to which you are allergic.
- 4. If you are a diabetic, please follow the specific instructions given to you at the time of your preadmission testing.
- 5. Dr. Hunt will prescribe pain medications at your pre-operative visit. Please make sure you pick up any narcotic prescriptions within seven days of this visit as these prescriptions will time-out.
- 6. No jewelry, body piercings, makeup, nail polish, hairpins, or contacts should be worn on the day of surgery. Please leave all valuables and money at home or with a family member.
- 7. Please wear loose-fitting, comfortable clothing. Keep in mind the type of surgery you are having might include a bulky dressing or splint on your hand, making it difficult to put your arm through a narrow sleeve.
- 8. Discontinue Aspirin, non-steroidal anti-inflammatory medication (NSAIDs such as Aleve, Advil, Motrin/Ibuprofen, Mobic), and Vitamin E for 5-7 days prior to surgery. These medications can cause excessive bleeding. Tylenol is acceptable. Herbal medicines and diet pills should be stopped 2 weeks prior to surgery.
- 9. If you are taking blood thinning medications such as Plavix or Coumadin, you must contact your prescribing physician and obtain permission or clearance to discontinue the medication, and instructions on how/when to stop the medication before surgery.
- 10. If you are taking immunosuppressive medicines such as those prescribed for rheumatoid arthritis or lupus, you must contact your prescribing physician and obtain instructions on how/when to stop the medicine before surgery, and how/when to resume the medicine after surgery.
- 11. You will be notified what time to arrive prior to your surgery. Please report to Baylor St. Luke's McNair Campus, 7200 Cambridge, 1st floor admitting office (behind the security desk).

- 12. You must have a responsible adult available to take you home after surgery. YOU CANNOT DRIVE YOURSELF HOME. A bus, cab, or Uber driver is not considered a responsible caregiver.
- 13. Please contact our billing office to see if there is a co-insurance due for the surgeon fees. 713-798-9001.
- 14. Contact the office at 713-986-5530 if you develop any signs of infection such as fever, sore throat, painful urination, etc. or have any other questions.